

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
02-00007	NECORE	DESADV	LOC	43	3227	Add	28E	Country of birth (EAN Code)	Country where an animal was born.		implemented
02-00007		DESADV	LOC	43	3227	Del	28E	Country of birth (EAN Code)	deleted as example code		implemented
02-00008	NECORE	DESADV	LOC	43	3227	Add	27E	Country of fattening (GS1 Code)	Country where an animal has been fattened before killing for food.		implemented
02-00008		DESADV	LOC	43	3227	Del	27E	Country of fattening (GS1 Code)	deleted as example code		implemented
02-00009	NECORE	DESADV	LOC	10	3227	Add	26E	Country of slaughter (EAN Code)	Country where an animal has been killed for food.		implemented
02-00009		DESADV	LOC	10	3227	Del	26E	Country of slaughter (EAN Code)	deleted as example code		implemented
02-00010	NECORE	DESADV	LOC	43	3227	Add	25E	Country of cutting (EAN Code)	Country where an animal's carcass has been cut into smaller pieces.		implemented
02-00010		DESADV	LOC	43	3227	Del	25E	Country of cutting (EAN Code)	deleted as example code		implemented
02-00012	NECORE	DESADV	DTM	38	2005	Add	656	Age	Length of time that a person or thing has existed. EAN Description: Length of time that a person or animal has lived or a thing has existed.		implemented
02-00013	NECORE	DESADV	MEA	34	6313	Add	X13	Acidity of meat (EAN Code)	The meat's acid quality or condition expressed as a pH value.		implemented
02-00014	NECORE	DESADV	LOC	10	3227	Add	30E	Cutting plant (EAN Code)	A building where the meat of animals is cut into smaller pieces and/or minced.		implemented
02-00014		DESADV	LOC	10	3227	Del	30E	Cutting plant (EAN Code)	deleted as example code		implemented
02-00015	NECORE	DESADV	LOC	10	3227	Add	29E	Slaughterhouse (EAN Code)			implemented
02-00015		DESADV	LOC	10	3227	Del	29E	Slaughterhouse (EAN Code)	deleted as example code		implemented
02-00016	NECORE	ORDERS	PCI	65	4233	Add	X27	Mark packaging date (EAN Code)	Packaging should be marked with the packaging date.		implemented
02-00016		ORDERS	PCI	65	4233	Del	X27	Mark packaging date (EAN Code)	deleted as example code		implemented
02-00017	NECORE	ORDERS	PCI	65	4233	Add	X28	Mark reference to source entity (EAN Code)	Packaging should be marked with the reference to source entity.		implemented
02-00017		ORDERS	PCI	65	4233	Del	X28	Mark reference to source entity (EAN Code)	deleted as example code		implemented
02-00019	NECORE	DESADV	LOC	43	3227	Add	31E	Country of mincing (EAN Code)	Country where meat has been cut into very small pieces using a meat grinder.		implemented
02-00019		DESADV	LOC	43	3227	Del	31E	Country of mincing (EAN Code)	deleted as example code		implemented
02-00026	NECORE	IFCSUM	MEA	78	6313	Add	ABQ	Percentage of alcohol (by volume)	The percentage of alcohol contained in a liquid.		withdrawn
02-00026		IFCSUM	MEA	78	6313	Del	ABQ	Percentage of alcohol (by volume)	deleted as example code		withdrawn
02-00027	NECORE	IFCSUM	RFF	30	1153	Add	ACL	Principal reference number	A number that identifies the principal reference.		withdrawn
02-00027		IFCSUM	RFF	30	1153	Del	ACL	Principal reference number	deleted as example code		withdrawn
02-00029	NECORE	IFCSUM	GOR	32	9353	Add	3	Documents required	Pertinent documents are required		withdrawn
02-00029		IFCSUM	GOR	32	9353	Del	3	Documents required	deleted as example code		withdrawn
02-00030	NECORE	IFCSUM	DOC	2	1001	Add	852	Sanitary certificate	Document/message issued by the competent authority in the exporting country evidencing that alimentary and animal products, including dead animals, are fit for human consumption, and giving details, when relevant, of controls undertaken.		implemented
02-00030		IFCSUM	DOC	2	1001	Del	852	Sanitary certificate	deleted as example code		implemented
02-00031	NECORE	IFCSUM	DOC	2	1001	Add	952	TIR Carnet	International Customs document (International Transit by Road), issued by a guaranteeing association approved by the Customs authorities, under the cover of which goods are carried, in most cases under Customs seal, in road vehicles and/or containers in compliance with the requirements of the Customs TIR Convention of the International Transport of Goods under cover of TIR Carnets (UN/ECE).		implemented
02-00031		IFCSUM	DOC	2	1001	Del	952	TIR Carnet	deleted as example code		implemented
02-00032	NECORE	IFCSUM	NAD	12	3035	Add	SH	Shipper (GS1 Code)	Party responsible for the shipment of goods.		implemented
02-00033	NECORE	IFCSUM	DOC	2	1001	Add	951	TIF forms	International Customs transit document by which the sender declares goods for carriage by rail in accordance with the provisions of the 1952 International Convention to facilitate the crossing of frontiers for goods carried by rail (TIF Convention of UIC).		implemented
02-00033		IFCSUM	DOC	2	1001	Del	951	TIF forms	deleted as example code		implemented
02-00034	NECORE	IFTSTA	RFF	9	1153	Add	ACL	Principal reference number	A number that identifies the principal reference.		withdrawn
02-00034		IFTSTA	RFF	9	1153	Del	ACL	Principal reference number	deleted as example code		withdrawn
02-00037	NECORE	INVRPT	STS	21	9013	Add	X49	Out of end sale date	Product was out of end sale date.		implemented
02-00037	NECORE	INVRPT	STS	21	9013	Add	X49	Expiration of sales period (EAN Code)	Goods' sales period has expired.		implemented
02-00038	NECORE	INVRPT	STS	21	9013	Add	X51	Quality control (EAN Code)	Quality control of the product		implemented
02-00039	NECORE	INVRPT	STS	21	9013	Add	X50	In wait of release (EAN Code)	Goods are on hold awaiting release.		implemented
02-00040	NECORE	ORDERS, ORDCG, ORDRSP	IMD	49	7077	Add	A	Free-form long description	Long description of an item in free form.		implemented
02-00040		ORDERS, ORDCG, ORDRSP	IMD	49	7077	Add	F		EAN Description: Item related general free form text description, which is neither a short or long description of the item itself.		implemented
02-00049	NECORE	PRICAT	LIN	80	1229	Add	2E	Prior addition (EAN code)	A line item, which has already been added with a certain start validity date is added again with a validity date prior to that of the last addition in the referenced message or existing database.		implemented
02-00049	NECORE	PRICAT	LIN	80	1229	Add	74	Reopened	Opened again. EAN description A line item that was marked for deletion is reactivated in the referenced message or existing database.		implemented
02-00073	NECORE	PRICAT	PAC	115	7065	Add	RCB	Two sided cage on wheels with fixing strap (GS1 Code)	A two sided cage mounted on wheels with fixing strap. Dimensions: 900 x 770 x 1513 cm (length x width x height).		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
02-000073		PRICAT	PAC	115	7065	Del	RCB	Two sided cage on wheels with fixing strap (GS1 Code) 900 x 770 x 1513 cm (length x width x height)	deleted as example code		implemented
02-000074	NECORE	PRICAT	PAC	115	7065	Add	RB1	A wheeled pallet with raised rim (EAN). 81 x 67 x 135 cm (length x width x height).	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 67 x 135 cm (length x width x height).		implemented
02-000074		PRICAT	PAC	115	7065	Del	RB1	A wheeled pallet with raised rim (EAN). 81 x 67 x 135 cm (length x width x height).	deleted as example code		implemented
02-000075	NECORE	PRICAT	PAC	115	7065	Add	RB2	A Wheeled pallet with raised rim (EAN Code). 81 x 72 x 135 cm (length x width x height).	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 72 x 135 cm (length x width x height).		implemented
02-000075		PRICAT	PAC	115	7065	Del	RB2	A Wheeled pallet with raised rim (EAN Code). 81 x 72 x 135 cm (length x width x height).	deleted as example code		implemented
02-000076	NECORE	PRICAT	PAC	115	7065	Add	RB3	Wheeled pallet with raised rim. 81 x 60 x 16 cm (length x width x height). (EAN Code)	A wheeled pallet with raised rim for the storing and transporting of loads. Dimensions: 81 x 60 x 16 cm (length x width x height).		implemented
02-000076		PRICAT	PAC	115	7065	Del	RB3	Wheeled pallet with raised rim. 81 x 60 x 16 cm (length x width x height). (EAN Code)	deleted as example code		implemented
02-000157	NECORE	All	All		3055	Add	X8	BR, EAN Brazil (GS1 Code)	Brazilian representative of the International Article Numbering association (EAN).		implemented
02-000163	SECHRE	SLSRPT	NAD	23	3035 / 3055	Add			Add codes to restricted code lists Update message definition and principles 3035 UD = Ultimate customer X47 = Cash register number (EAN Code) 3055 91 = Assigned by supplier or supplier's agent 92 = Assigned by buyer or buyer's agent		implemented
02-000169	SECHRE	INDES	DTM	22	2005		36	Expiry date	Add a code to a restricted code list		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Add	UQ6	Product without theft protection (EAN code)	The product is not fitted with a protection against theft.		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Add	UQ7	Product with theft protection, active (EAN code)	The product is fitted with a protection against theft that has been activated.		implemented
02-000182	NECORE	PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Add	UQ8	Product with theft protection, inactive (EAN code)	The product is fitted with a protection against theft that has not been activated.		implemented
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Del	UQ6	Product without theft protection (EAN code)	deleted as example code		implemented
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Del	UQ7	Product with theft protection, active (EAN code)	deleted as example code		implemented
02-000182		PRICAT, PRODAT, ORDERS, DESADV	IMD	82 25 49 33	7081	Del	UQ8	Product with theft protection, inactive (EAN code)	deleted as example code		implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB6	Product marketing document, concise (EAN Code)	Marketing document providing a concise functional description of a product or goods/services.; Note: This code may only be used in DE 1001 of the DOC segment		implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB5	Product marketing document, detailed (EAN Code)	Marketing document providing a detailed functional description of a product or goods/services.; This code may only be used in DE 1001 of the DOC segment.		implemented
03-000018	NECORE	PRODAT	DOC	22	1001	Add	YB4	Media campaign document (EAN Code)	Document providing the details of a media campaign; Note: This code may only be used in DE 1001 of the DOC segment.		implemented
03-000018	NECORE	PRODAT	DOC		1001	Add	YB5	Product Marketing document, detailed (GS1 Code)	Marketing document providing a detailed functional description of a product or goods/services.		implemented
03-000018-2	NECORE	PRODAT	DOC		1001	Add	YB4	Media campaign document (GS1 Code)	Document providing the details of a media campaign		implemented
03-000018-3	NECORE	PRODAT	DOC		1001	Add	YB6	Product Marketing document, concise (GS1 Code)	Marketing document providing a concise functional description of a product or goods/services.		implemented
03-000023	NECORE	INVRPT	STS	21	9013	Add	X60	Incident attributed to despatch party (EAN Code)	Incident has been attributed to the despatch party.		implemented
03-000029	NECORE	PARTIN	NAD	12	3035	Add	GQ	Slaughterer	Party or person who has undertaken or will undertake a slaughter.		implemented
03-000029b	NECORE	PARTIN	NAD	12	3035	Add	X49	Meat cutter (EAN Code)	Person whose job is to cut up and/or mince meat.		implemented
03-000029c	NECORE	PARTIN	RFF	19	1153	Add	YC5	Slaughterhouse approval number (EAN Code)	Veterinary licence number allocated by a national authority to a slaughterhouse.		implemented
03-000029d	NECORE	PARTIN	RFF	19	1153	Add	YC4	Cutting plant approval number (EAN Code)	Veterinary licence number allocated by a national authority to a cutting plant.		implemented
03-000032	SECHRE	DESADV	LOC	43		Change			The CR consists of 10 CRs Segment related to MEA DE 6411 Composite C174 and request additions to an open code list UNC Rec 20		implemented
03-000032	SECHRE	DESADV	LOC	43		Change					implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
03-000033	MSCHRE	INVRPT	NAD	21a		Change					implemented
03-000038	NECORE	INVRPT	STS	21	9013	Add	X51	Quality control held (EAN Code)	Goods held from distribution waiting for the outcome of a quality control assessment.		implemented
03-000038	NECORE	All	MEA		6411	Add			The CR consists of 10 CRs Segment related to MEA DE 6411 Composite C174 and request additions to an open code list UNC Rec 20		
03-000038	NECORE	All	MEA		6411	Add	E34	Gigabyte	A unit of information equal to 10 E9 bytes		implemented
03-000038	NECORE	All	MEA		6411	Add	MTS	Metre per second	A unit of speed expressed in metres per second. (EAN Definition)		implemented
03-000038	NECORE	All	MEA		6411	Add	HMT	HECTOMETRE	A unit of linear measure equal to 10 E2 metres.		implemented
03-000038	NECORE	All	MEA		6411	Add	LD	Litre per day	A unit of measure defining the number of litres per day.		implemented
03-000038	NECORE	All	MEA		6411	Add	MOH	Cubic metre per hour	A unit of measure defining the number of cubic metres per hour		implemented
03-000038	NECORE	All	MEA		6411	Add	RJH	Decanewton (GS1 Code)	A unit of force equal to 10 Newton.		implemented
03-000038	NECORE	All	MEA		6411	Add	E39	Dots per inch	A unit of information defining the number of dots per linear inch as a measure of the resolution or sharpness of an image. EAN Description: synonym: pixels per inch		implemented
03-000038	NECORE	All	MEA		6411	Add	B13	Joule per square metre	EAN definition: A unit of measure of heat energy expressed in joule per square metre		implemented
03-000038	NECORE	All	MEA		6411	Add	D19	Square metre kelvin per watt	EAN definition: Unit of measure of thermal insulation expressed in square metre kelvin per watt.		implemented
03-000038	NECORE	All	MEA		6411	Add	D55	watt per square metre kelvin	EAN definition: Unit of measure of thermal conductance expressed in watt per square metre kelvin.		implemented
03-000039	NECORE	INVRPT	STS	21	9013	Add	X50	Awaiting release (EAN Code)	Goods are on hold awaiting release.		implemented
03-000044	NECORE	INVOIC PARTIN	RFF	11 66 19	1153	Add	AQQ	Activite Principale Exercee (APE) identifier	The French industry code for the main activity of a company.		implemented
03-000053	NECORE	DESADV	PIA	32	7143	Add	X1	Slaughter number (EAN Code)	Unique number given by a slaughterhouse to an animal or a group of like breeds of animals.		implemented
03-000054	NECORE	DESADV	PIA	32	7143	Add	X2	Ear-tag number (EAN Code)	Unique number given by a national authority to identify an animal individually.		implemented
03-000091	NECORE	All	MEA		6411	Add	E37	Pixel	A unit of count defining the number of pixels (pixel: picture element)		implemented
03-000091a	NECORE	All	MEA		6411	Add	E38	Megapixel	A unit of count equal to 10 E6 (1000000) pixels (picture elements).		implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	AAH	Subject to escalation and price adjustment	Subject to increase or development by successive stages and price adjustment.		implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	AAQ	Firm price	Price which will remain unchanged for a given time period.		implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	ABL	Base price	The base price of a product or service.		implemented
03-000093	NECORE	PRICAT, ORDERS, ORDRSP, INVOIC	PRI		5125	Add	ABM	Base price difference	The difference in price against a base price.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	BEX	GTIN allocation group for special purposes (EAN code)	A grouping in order to allocate a GTIN to certain a configuration for special purposes (e.g. configuration software) within a Customer Specific Articles configuration.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	DEF	Definition Group (EAN code)	A group of objects (1. option values, 2. parameters and 3. pre-defined options ) needed in a Customer Specific Articles (CSA) configuration. In this group the CSA objects are defined for those objects which are used in the base article configuration group.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	MUL	Metadata linked to multi-media objects group (EAN code)	A group containing metadata linked to multi-media objects, i.e. a URL to a multi media object, name and description of the multimedia object		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	PAX	Price allocation group (EAN code)	A grouping in order to allocate price(s) to certain configurations within a Customer Specific Articles configuration.		implemented
03-000094	NECORE	PRICAT	PGI	34	5379	Add	PXC	Price execution rule group (EAN code)	A grouping of a number of execution rules related to a preceding price allocation in a Customer Specific Articles configuration.		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y1E	Internal dimensions (EAN code)	Internal dimension of an article, e.g. a piece of furniture		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y2E	Maximum dimensions using a functionality (EAN code)	Maximum dimension of an article using a functionality (e.g. extendable sofa)		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y3E	Minimum dimensions using a functionality (EAN code)	Minimum dimension of an article using a functionality (e.g. folding chair)		implemented
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y4E	Mattress dimensions (EAN code)	Dimension of a mattress, i.e. not the total dimension of the bed frame.		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
03-000096	NECORE	PRICAT ORDERS ORDRSP	MEA		6311	Add	Y5E	Seat dimensions (EAN code)	Seat dimension of a chair etc., not total dimension.		implemented
03-000097	NECORE	PRICAT	IMD		7009	Add	PRO	Programme (GS1 Code)	A programme within a Customer Specific Article which does not exist on its own.		implemented
03-000098	NECORE	PRICAT	IMD		7009	Add	NAR	Next Article (GS1 Code)	An indication that what follows is a set of linked articles, a certain number of these linked articles should be chosen.		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	S2C	Consumer marketing information short description (EAN Code)	Short description of a product and/or service, for marketing purposes to consumers.		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	L2C	B2C marketing information, long description (EAN Code)	Consumer marketing information, long description		implemented
03-000099a	NECORE	PRICAT	FTX		4451	Add	L2B	B2B marketing information, long description (EAN Code)	Trading partner marketing information		implemented
03-000100	SECHRE	PRICAT	RFF		4000	Change			Change the status of the DE 4000 from N (not used) to O (optional) in order to provide catalogue update numbers.		implemented
03-000101	SECHRE	PRICAT	EFI	73	1056	Change			Change the status of the DE 1056 from N (not used) to O (optional)		implemented
03-000102	MSCHRE	PRICAT CONDRA	COM			Allow use			Allow use of seg COM where seg EFI appears as EDIFACT does.		implemented
03-000103a	NECORE	All	MEA		6313	Add	10X	Colour depth (EAN Code)	The number of distinct colours represented in an image or in a display.		implemented
03-000103a	NECORE	All	MEA		6313	Add	12X	Colour depth, maximum (EAN Code)	The maximum number of distinct colours that can be represented in an image or in a display.		implemented
03-000103b	NECORE	All	MEA		6313	Add	11X	Resolution (EAN Code)	The number of dots or pixels making up an image.		implemented
03-000103b	NECORE	All	MEA		6313	Add	13X	Resolution, maximum (EAN Code)	The maximum number of dots or pixels that can make up an image.		implemented
03-000148	NECORE	All	MEA		6411	Add	A99	bit	A unit of information equal to one binary digit.		implemented
04-000025	NECORE	SLSRPT	QTY		6063	Add	217	Out of inventory quantity	Quantity of inventory which was requested but was not available.		implemented
04-000029	NECORE	All			3055	Add	X9	FI, EAN Finland (EAN Code)	Finnish representative of the International Article Numbering Association (EAN).		implemented
04-000054a	NECORE	INVRPT	QTY		6063	Add	X25	Advised but not arrived (GS1 Code)	Goods are advised by the consignor or supplier, but have not yet arrived at the destination.		implemented
04-000054b	NECORE	SLSRPT	QTY		6063	Add	X26	Received but not available (GS1 Code)	Goods have been received (in the arrival area) but are not yet available.		implemented
04-000054c	NECORE	INVRPT	QTY		6063	Add	X27	Goods blocked for transshipment process (GS1 Code)	Goods scheduled for a transshipment process. Goods are physically present, but cannot be ordered.		implemented
04-000054d	NECORE	INVRPT	QTY		6063	Add	X28	Goods blocked for cross docking process (GS1 Code)	Goods scheduled for a cross docking process. Goods are physically present, but cannot be ordered.		implemented
04-000060a	NECORE	All	ALI		4183	Add	X45	Product gluten-free (GS1 Code)	An indication that a product does not contain any gluten.		implemented
04-000060b	NECORE	All	ALI		4183	Add	X46	Product contains gluten (GS1 Code)	An indication that a product contains gluten.		implemented
04-000060c	NECORE	All	ALI		4183	Add	X47	Product lactose-free (GS1 Code)	An indication that a product does not contain any lactose.		implemented
04-000060d	NECORE	All	ALI		4183	Add	X48	Product contains lactose (GS1 Code)	An indication that a product contains lactose.		implemented
04-000060e	NECORE	All	ALI		4183	Add	X49	Genetically modified food law, CH, conformity (GS1 Code)	An indication that a product complies with the Swiss law on genetically modified food.		implemented
04-000060f	NECORE	All	ALI		4183	Add	X50	Genetically modified food law, CH, non-conformity (GS1 Code)	An indication that a product does not comply with the Swiss law on genetically modified food.		implemented
04-000060g	NECORE	All	ALI		4183	Add	X51	General food law, CH, conformity (GS1 Code)	An indication that a product complies with the Swiss general food law.		implemented
04-000060h	NECORE	All	ALI		4183	Add	X52	General food law, CH, non-conformity (GS1 Code)	An indication that a product does not comply with the Swiss general food law.		implemented
04-000073	NECORE	All	MEA		6313	Add	X14	Acoustic absorption coefficient (GS1 Code)	The amount of sound energy a surface absorbs and reflects, measured at different frequencies.		implemented
04-000077	NECORE	All	MEA		6313	Add	RJ	Rockwell C	Hardness in the Rockwell C scale.		implemented
04-000109	MSCHRE	IFCSUM	TCC CUX			Add			Add segment group 7, respectively TCC and CUX		implemented
04-000111		IFCSUM				Add			General Description Add: "The IFCSUM message can also be used as an arrival notice for multiple consignments."		implemented
04-000160	NECORE	All	IMD		7009	Add	NRC	Non-returnable container (GS1 Code)	The current product is not traditionally a traded product and does not need to be returned to the sender.		implemented
04-000188	NECORE	All	DGS		8339	Add	0	No packaging danger level assigned (GS1 Code)	No packaging danger level assigned. None available to comply with the IATA/IDMG/ADR/RID regulations.		implemented
04-000224	NECORE	All	COM		3155	Add	AS1	AS1 (GS1 Code)	Requests that the file shall be returned via AS1.		implemented
04-000224	NECORE	All	COM		3155	Add	AS2	AS2 (GS1 Code)	Requests that the file shall be returned via AS2.		implemented
04-000224	NECORE	All	COM		3155	Add	AS3	AS3 (GS1 Code)	Requests that the file shall be returned via AS3.		implemented
04-000224	NECORE	All	COM		3155	Add	EX1	Exite mail (GS1 Code)	Requests that the file shall be returned via Exite.		implemented
04-000224	NECORE	All	COM		3155	Add	FTP	ftp (GS1 Code)	Requests that the file shall be returned via ftp.		implemented
04-000224	NECORE	All	COM		3155	Add	X4X	X.400 embedded mail text (GS1 Code)	Requests that the file shall be returned as X.400 embedded mail text.		implemented
04-000231	NECORE	PRICAT	PAC		7065	Add	GB	Bottle, gas			implemented
05-000012	NECORE	PRICAT	IMD		7081	Add	44	Further identifying characteristic	Description of further identifying characteristic of a product which enables the product to be distinguished from any similar products.		implemented
05-000012-2	NECORE	PRICAT	IMD		7081	Add	SBN	Primary differentiating factor that a brand owner wants to communicate (GS1 Code)	Second level of brand. Can be a trademark. It is the primary differentiating factor that a brand owner wants to communicate to the consumer or buyer. E.g. Yummy-Cola Classic. In this example Yummy-Cola is the brand and Classic is the subBrand.		implemented
05-000012-3	NECORE	PRICAT	IMD		7081	Add	FNM	Functional Name (GS1 Code)	Describes use of the product or service by the consumer. Should help clarify the product classification associated with the GTIN		implemented
05-000029-001	NECORE	PRICAT	NAD	SG2	3035	Add	X53	Content Owner (GS1 Code)	Not available.		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000029-002	NECORE	PRICAT	NAD	SG2	3035	Add	X54	Source Data Pool (GS1 Code)	A data pool that supports the functionality required by a Data Source such as Data Loading, Publication, Notification, Registration, etc.		implemented
05-000029-003	NECORE	PRICAT	PGI	SG17	5379	Add	X10	Target Market Division/Subdivision code (GS1 Code)	The Target Market is a geographical region based upon geographical boundaries sanctioned by the United Nations.		implemented
05-000029-004	NECORE	PRICAT	FTX	SG36	4451	Add	ACL	Quality Statement Code	A statement on the quality of an object.		implemented
05-000029-005	NECORE	PRICAT	FTX	SG36	4451	Add	AGZ	Marketing activities	Information concerning marketing activities.		implemented
05-000029-006	NECORE	PRICAT	MEA	SG36	6313	Add	X10	Peg Hole Number (GS1 Code)	Used to indicate the peg hole numbers when more than one hole is present in the product or packaging.		implemented
05-000029-007	NECORE	PRICAT	MEA	SG36	6313	Add	X20	Quantity of Inner Pack (GS1 Code)			implemented
05-000029-008	NECORE	PRICAT	MEA	SG36	6313	Add	X21	Quantity of next level Trade Item within Inner Pack (GS1 Code)	The number of next lower level trade items contained within the physical non-coded grouping (innerpack).		implemented
05-000029-009	NECORE	PRICAT	QTY	SG36	6063	Add	X32	Number of Packages for set pieces GTIN (GS1 Code)	Number of packages that make up the set.		implemented
05-000029-010	NECORE	PRICAT	QTY	SG36	6063	Add	X33	Number of Pieces in set (GS1 Code)	The number of individual components in a grouping of merchandise that is sold together as a single trade item.		implemented
05-000029-011	NECORE	PRICAT	QTY	SG36	6063	Add	X31	Order sizing factor (GS1 Code)	A trade item specification other than gross, net weight, or cubic feet for a line trade item or a transaction, used for order sizing and pricing purposes.		implemented
05-000029-012	NECORE	PRICAT	QTY	SG36	6063	Add	X30	Quantity of children (GS1 Code)	Value indicates the number of unique next lower level trade items contained in a complex trade item.		implemented
05-000029-013	NECORE	PRICAT	QTY	SG36	6063	Add	X34	Agreed Maximum Buying Quantity (GS1 Code)	The maximum quantity of the product available to the retailer.		implemented
05-000029-014	NECORE	PRICAT	QTY	SG36	6063	Add	X35	Agreed Minimum Buying Quantity (GS1 Code)	Minimum buying quantity agreed between trading partners.		implemented
05-000029-015	NECORE	PRICAT	PIA	SG36	7143	Add	BRI	Brick Code (GS1 Code)	Global GS1 classification category code. Unique, permanent 10-digit key.		implemented
05-000029-016	NECORE	PRICAT	PIA	SG36	7143	Add	GAT	GPC Brick attribute type (GS1 Code)	Unique 8 digit code which identifies the Global EAN.UCC classification.		implemented
05-000029-017	NECORE	PRICAT	PIA	SG36	7143	Add	X10	Lottery game number (GS1 Code)			implemented
05-000029-018	NECORE	PRICAT	PIA	SG36	7143	Add	X11	Lottery pack book number (GS1 Code)			implemented
05-000029-019	NECORE	PRICAT	PIA	SG36	7143	Add	X12	NABCA product code (GS1 Code)			implemented
05-000029-020	NECORE	PRICAT	IMD	SG36	7081	Add	XX3	Clothing Cut (GS1 Code)			implemented
05-000029-021	NECORE	PRICAT	IMD	SG36	7081	Add	XX4	Non marked trade item components (GS1 Code)	This attribute indicates a nonsaleable part of the trade item. It is used to specify components of a trade item that cannot be sold separately.		implemented
05-000029-022	NECORE	PRICAT	IMD	SG36	7081	Add	XX5	Campaign name (GS1 Code)	Name of the sales or marketing campaign, for which the textile trade item.		implemented
05-000029-023	NECORE	PRICAT	IMD	SG36	7081	Add	XX6	Season name (GS1 Code)	Element defines the season applicable to the item.		implemented
05-000029-024	NECORE	PRICAT	IMD	SG36	7081	Add	XX8	Target Consumer Age (GS1 Code)	Identifies the target consumer age range for which a trade item has been designed.		implemented
05-000029-025	NECORE	PRICAT	IMD	SG36	7081	Add	XY1	Link to external description (GS1 Code)	The link (e.g. URL) to the external description.		implemented
05-000029-026	NECORE	PRICAT	IMD	SG36	7081	Add	XY3	Trade item group identification (GS1 Code)	The text description of the value represented by the trade itemGroupIDCode.		implemented
05-000029-027	NECORE	PRICAT	IMD	SG36	7081	Add	XX1	Collar Type (GS1 Code)	Type of collar on the garment.		implemented
05-000029-028	NECORE	PRICAT	IMD	SG36	7081	Add	XX2	Sleeve Type (GS1 Code)	Type of sleeve on the garment.		implemented
05-000029-029	NECORE	PRICAT	IMD	SG36	7081	Add	IN	Invoice name (GS1 Code)	Free form information provider assigned trade item description designed to match trade item/service description as noted on invoices.		implemented
05-000029-030	NECORE	PRICAT	IMD	SG36	7081	Add	PR	Product Range (GS1 Code)	A name, used by a BrandOwner, that span multiple consumer categories or uses. E.g. (Waist Watchers).		implemented
05-000029-031	NECORE	PRICAT	IMD	SG36	7081	Add	SB	Subbrand (GS1 Code)	Second level of brand. Can be a trademark. It is the primary differentiating factor that a brand owner wants to communicate to the consumer or buyer.		implemented
05-000029-032	NECORE	PRICAT	IMD	SG36	7081	Add	FN	Functional Name (GS1 Code)	Describes use of the product or service by the consumer. Should help clarify the product classification associated with the GTIN.		implemented
05-000029-033	NECORE	PRICAT	IMD	SG36	7081	Add	XY2	Additional Trade Item Description (GS1 Code)	Additional variants necessary to communicate to the industry to help define the product. Multiple variants can be established for each GTIN. This is a repeatable field, e.g. Style, Color, and Fragrance.		implemented
05-000029-034	NECORE	PRICAT	IMD	SG36	7009	Add	CA	Case (GS1 Code)			implemented
05-000029-035	NECORE	PRICAT	IMD	SG36	7009	Add	DSP	Display shipper (GS1 Code)			implemented
05-000029-036	NECORE	PRICAT	IMD	SG36	7009	Add	MM	Mixed module (GS1 Code)			implemented
05-000029-037	NECORE	PRICAT	IMD	SG36	7009	Add	MP	Multipack (GS1 Code)			implemented
05-000029-038	NECORE	PRICAT	IMD	SG36	7009	Add	PIP	Packer or inner pack (GS1 Code)			implemented
05-000029-039	NECORE	PRICAT	IMD	SG36	7009	Add	PAL	Pallet (GS1 Code)			implemented
05-000029-040	NECORE	PRICAT	IMD	SG36	7009	Add	PPK	Prepack (GS1 Code)			implemented
05-000029-041	NECORE	PRICAT	IMD	SG36	7009	Add	PAS	Prepack assortment (GS1 Code)			implemented
05-000029-042	NECORE	PRICAT	IMD	SG36	7009	Add	SPK	Setpack (GS1 Code)			implemented
05-000029-043	NECORE	PRICAT	IMD	SG36	7009	Add	CIT	Collateral Item (GS1 Code)			implemented
05-000029-044	NECORE	PRICAT	IMD	SG36	7009	Add	DAS	Dynamic Assortment (GS1 Code)			implemented
05-000029-045	NECORE	PRICAT	IMD	SG36	7009	Add	GWP	Gift with purchase (GS1 Code)			implemented
05-000029-046	NECORE	PRICAT	IMD	SG36	7009	Add	PWP	Purchase with purchase (GS1 Code)			implemented
05-000029-047	NECORE	PRICAT	IMD	SG36	7009	Add	XX1	Count (GS1 Code)			implemented
05-000029-048	NECORE	PRICAT	IMD	SG36	7009	Add	XX2	Area (GS1 Code)			implemented
05-000029-049	NECORE	PRICAT	IMD	SG36	7009	Add	XX3	Weight (GS1 Code)			implemented
05-000029-050	NECORE	PRICAT	IMD	SG36	7009	Add	XX4	Volume (GS1 Code)			implemented
05-000029-051	NECORE	PRICAT	IMD	SG36	7009	Add	XX5	Length (GS1 Code)			implemented
05-000029-052	NECORE	PRICAT	IMD	SG36	7009	Add	XX6	Loose (GS1 Code)			implemented
05-000029-053	NECORE	PRICAT	IMD	SG36	7009	Add	XX7	Pre-packed (GS1 Code)			implemented
05-000029-054	NECORE	PRICAT	IMD	SG36	7081	Add	XY4	Price by measure type (GS1 Code)			implemented
05-000029-055	NECORE	PRICAT	IMD	SG36	7081	Add	XY5	Variable trade item type (GS1 Code)			implemented
05-000029-056	NECORE	PRICAT	IMD	SG36	7081	Add	XY3	Trade item group identification (GS1 Code)	A code assigned by the supplier or manufacturer to logically group trade item independently from the Global trade item Classification.		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000029-057	NECORE	PRICAT	IMD	SG36	7081	Add	NBU	Not a base unit (GS1 Code)	Not the lowest level packaged unit for a given product, which may or may not be the consumer unit.		implemented
05-000029-058	NECORE	PRICAT	IMD	SG36	7081	Add	XX7	Season parameter (GS1 Code)	Indication of the season, in which the trade item is available, i.e. assignment to one of the following collection periods: spring/summer, autumn/ winter or all year around.		implemented
05-000029-059	NECORE	PRICAT	IMD	SG36	7081	Add	XX9	Target Consumer Gender (GS1 Code)	Identifies the target consumer gender for which a product has been designed.		implemented
05-000029-060	NECORE	PRICAT	IMD	SG36	7081	Add	SPR	Spring (GS1 Code)	Spring season.		implemented
05-000029-061	NECORE	PRICAT	IMD	SG36	7081	Add	SMR	Summer (GS1 Code)	Summer season.		implemented
05-000029-062	NECORE	PRICAT	IMD	SG36	7081	Add	AUT	Autumn (GS1 Code)	Autumn season.		implemented
05-000029-063	NECORE	PRICAT	IMD	SG36	7081	Add	WNT	Winter (GS1 Code)	Winter season.		implemented
05-000029-064	NECORE	PRICAT	IMD	SG36	7081	Add	FEM	Female (GS1 Code)	Female gender.		implemented
05-000029-065	NECORE	PRICAT	IMD	SG36	7081	Add	MAL	Male (GS1 Code)	Male gender.		implemented
05-000029-066	NECORE	PRICAT	IMD	SG36	7081	Add	UNI	Unisex (GS1 Code)	No gender.		implemented
05-000029-067	NECORE	PRICAT	DTM	SG36	2005	Add	X40	First Ship Date (GS1 Code)	It indicates the earliest date that the trade item can be shipped. This is independent of any specific ship-from location.		implemented
05-000029-068	NECORE	PRICAT	DTM	SG36	2005	Add	X41	Last Ship Date (GS1 Code)	It indicates the latest date that the trade item can be shipped. This is independent of any specific ship-from location.		implemented
05-000029-069	NECORE	PRICAT	DTM	SG36	2005	Add	X45	Start date maximum buying quantity (GS1 Code)	The start date for when the maximum buying quantity is available to the trading partner.		implemented
05-000029-070	NECORE	PRICAT	DTM	SG36	2005	Add	X46	Start date minimum buying quantity (GS1 Code)	The start date for when the minimum buying quantity is available to the trading partner.		implemented
05-000029-071	NECORE	PRICAT	DTM	SG36	2005	Add	X47	Campaign end date (GS1 Code)	The date suggested by the supplier for the campaign to end. It indicates the end of a marketing campaign.		implemented
05-000029-072	NECORE	PRICAT	DTM	SG36	2005	Add	X48	Campaign start date (GS1 Code)	The date suggested by the supplier for the campaign to start. It indicates the beginning of a marketing campaign.		implemented
05-000029-073	NECORE	PRICAT	DTM	SG36	2005	Add	X49	Seasonal availability end date (GS1 Code)	Indicates the end date of the trade item's seasonal availability.		implemented
05-000029-074	NECORE	PRICAT	DTM	SG36	2005	Add	X50	Seasonal availability start date (GS1 Code)	Indicates the start date of the trade item's seasonal availability.		implemented
05-000029-075	NECORE	PRICAT	DTM	SG36	2005	Add	X51	Season calendar year (GS1 Code)	This element indicates the calendar year in which the trade item is seasonally available.		implemented
05-000029-076	NECORE	PRICAT	DTM	SG36	2005	Add	X52	Goods pickup lead time (GS1 Code)	Time (in weeks, days, hours ...) required between order entry and the earliest goods release (use for pick-up, not use for delivery).		implemented
05-000029-077	NECORE	PRICAT	DTM	SG36	2005	Add	X30	Last change Date (GS1 Code)	A system generated value identifying the date and time a record was last updated.		implemented
05-000029-078	NECORE	PRICAT	DTM	SG36	2005	Add	381	Product Lifespan at time of production (GS1 Code)	The total lifespan of a product at the time of its production.		implemented
05-000029-079	NECORE	PRICAT	DTM	SG36	2005	Add	X42	End date maximum buying quantity (GS1 Code)	The end date for when the maximum buying quantity is no longer available to the trading partner.		implemented
05-000029-080	NECORE	PRICAT	DTM	SG36	2005	Add	X43	End date minimum buying quantity (GS1 Code)	The end date for when the minimum buying quantity is no longer available to the trading partner.		implemented
05-000029-081	NECORE	PRICAT	DTM	SG36	2005	Add	X44	End date of exclusivity (GS1 Code)	The Date & Time at which a product is no longer exclusive to that trading partner.		implemented
05-000029-082	NECORE	PRICAT	LOC	SG36	3227	Add	X11	Country of assembly (GS1 Code)	Country where product is assembled. Uses ISO country codes.		implemented
05-000029-083	NECORE	PRICAT	ALI	SG36	4183	Add	X38	Net content declaration indicated (GS1 Code)	This field is used to facilitate local business rules where a declaration of a trade item's net content is on the product label.		implemented
05-000029-084	NECORE	PRICAT	ALI	SG36	4183	Add	X39	Net content declaration not indicated (GS1 Code)	This field is used to facilitate local business rules where a declaration of a trade item's net content is not on the product label.		implemented
05-000029-085	NECORE	PRICAT	ALI	SG36	4183	Add	X37	Trade Item Not Irradiated (GS1 Code)	Indicates if radiation has not been applied to an trade item.		implemented
05-000029-086	NECORE	PRICAT	ALI	SG36	4183	Add	X36	Trade Item Not Genetically Modified (GS1 Code)	Used to indicate when a trade item doesn't contain genetically modified contents.		implemented
05-000029-087	NECORE	PRICAT	ALI	SG36	4183	Add	X30	Production batch number not allocated (GS1 Code)	Indication whether the base trade item has no batch or lot number.		implemented
05-000029-088	NECORE	PRICAT	ALI	SG36	4183	Add	X31	Non sold trade item not returnable (GS1 Code)	Indicates that the buyer can't return the articles that are not sold.		implemented
05-000029-089	NECORE	PRICAT	ALI	SG36	4183	Add	X34	Ingredient irradiated (GS1 Code)	Indicates if radiation has been applied to a trade item's ingredient.		implemented
05-000029-090	NECORE	PRICAT	ALI	SG36	4183	Add	X35	Ingredient not irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's ingredient.		implemented
05-000029-091	NECORE	PRICAT	ALI	SG36	4183	Add	X32	Raw material irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's ingredient.		implemented
05-000029-092	NECORE	PRICAT	ALI	SG36	4183	Add	X33	Raw material not irradiated (GS1 Code)	Indicates if radiation has not been applied to a trade item's raw material.		implemented
05-000029-093	NECORE	PRICAT	ALI	SG36	4183	Add	X40	Reorderable trade item (GS1 Code)	This element is an indicator that selected styles or trade items may be reordered.		implemented
05-000029-094	NECORE	PRICAT	MEA	SG37	6411	Add	37	Ounces per square yard			implemented
05-000029-095	SECHRE	PRICAT	MEA	SG37	C502	Change			Status from "R" to "O"	C502 has Status A!?	questions
05-000029-096	NECORE	PRICAT	CAV	SG37	3055	Add	174	DE, DIN (Deutsches Institut fuer Normung)	German standardization institute.		implemented
05-000029-097	NECORE	PRICAT	CCI	SG37	7037	Add	COMPLIANT	Class Compliance Code (GS1 Code)	A code that indicates that a trade item is in compliance with specific applicable government regulations.		implemented
05-000029-098	NECORE	PRICAT	CCI	SG37	7037	Add	MATERIAL	Material Information (GS1 Code)	This element is used to specify the quality of material (fabric) of a trade item.		implemented
05-000029-099	NECORE	PRICAT	CAV	SG37	1131	Add	X11	Diet Allergen (GS1 Code)	Indication of which dietary or allergen marks that are on the package.		implemented
05-000029-100	NECORE	PRICAT	CAV	SG37	1131	Add	X12	Environment (GS1 Code)	Indication of which environmental marks (e.g. recycling schemes) that are on trade item package.		implemented
05-000029-101	NECORE	PRICAT	CAV	SG37	1131	Add	X13	Ethical (GS1 Code)	Indication of which ethical trading marks that are on the package.		implemented
05-000029-102	NECORE	PRICAT	CAV	SG37	1131	Add	X14	Free Form (GS1 Code)	Indication of which free-from marks that are on the package.		implemented
05-000029-103	NECORE	PRICAT	CAV	SG37	1131	Add	X15	Expiration date (GS1 Code)	Indicates the type of expiration date marked on the packaging.		implemented
05-000029-104	NECORE	PRICAT	CAV	SG37	1131	Add	LOC	Location Code (GS1 Code)	This is a code to indicate where the EAS tag is located on the Trade Item. Values include On outside of Trade Item, Concealed inside Trade Item, Integrated Inside Trade Item.		implemented
05-000029-105	NECORE	PRICAT	CAV	SG37	1131	Add	TYP	Type Code (GS1 Code)	This is a code to indicate the type of EAS tag located on the Trade Item. Values include Acousto-Magnetic, Electro-Magnetic, Ink or dye, Microwave, Radio Frequency.		implemented
05-000029-106	NECORE	PRICAT	CAV	SG37	1131	Add	OUM	Ordering unit of measure (GS1 Code)	The alternate Unit of Measure of how Trade Items are ordered by the Retailer under one Unit of Measure, but sold under another Unit of Measure.		implemented
05-000029-107	NECORE	PRICAT	CAV	SG37	1131	Add	SUM	Selling unit of measure (GS1 Code)	Describes the measurement used for selling unit of the Trade Item to the end consumer.		implemented
05-000029-108	NECORE	PRICAT	CAV	SG37	1131	Add	SZG	Size Group (GS1 Code)	A description of the variable size that is necessary to uniquely specify the size of the item in conjunction with the nonpackaged size dimension.		implemented
05-000029-109	NECORE	PRICAT	CAV	SG37	1131	Add	OAG	Organic Claim Agency (GS1 Code)	A governing body that creates and maintain standards related to organic products.		implemented
05-000029-110	NECORE	PRICAT	CAV	SG37	1131	Add	OCO	Organic Trade Item Code (GS1 Code)	Used to indicate the organic status of a trade item or of one or more of its components.		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000029-111	NECORE	PRICAT	CCI	SG37	7037	Add	RECYCLE	Recycle (GS1 Code)	The recycling scheme a package is under if marked as recyclable.		implemented
05-000029-112	NECORE	PRICAT	ALC	SG41	7161	Add		Allowance Global (GS1 Code)			implemented
05-000029-113	NECORE	PRICAT	ALC	SG41	7161	Add		Charge Global (GS1 Code)			implemented
05-000029-114	NECORE	PRICAT	ALC	SG41	7161	Add		X03 Consolidated (GS1 Code)			implemented
05-000029-115	NECORE	PRICAT	ALC	SG41	7161	Add		X04 Lump sum (GS1 Code)			implemented
05-000029-116	NECORE	PRICAT	ALC	SG41	7161	Add		X05 Markup for small volume purchases (GS1 Code)			implemented
05-000029-117	NECORE	PRICAT	ALC	SG41	7161	Add		FR Flat Rate (GS1 Code)			implemented
05-000029-118	NECORE	PRICAT	ALC	SG41	4471	Add		X01 Item accruals (GS1 Code)	Expenses related to an item for which invoices have not been received yet at the end of the current accounting period.		implemented
05-000029-119	NECORE	PRICAT	ALC	SG41	4471	Add		X02 Vendor accruals (GS1 Code)	Expenses related to a vendor for which invoices have not been received yet at the end of the current accounting period.		implemented
05-000029-120	NECORE	PRICAT	MEA	SG47	6313	Add		UPL Quantity of trade item per pallet layer (GS1 Code)	The number of trade items contained on a single layer of a pallet.		implemented
05-000029-121	NECORE	PRICAT	PAC	SG47	7073	Add		XX1 Exchange Pallets (GS1 Code)			implemented
05-000029-122	NECORE	PRICAT	PAC	SG47	7073	Add		XX2 Return Pallets (GS1 Code)			implemented
05-000029-123	NECORE	PRICAT	PAC	SG47	7073	Add		XX3 Pallet - Third Party Exchange (GS1 Code)			implemented
05-000029-124	NECORE	PRICAT	PAC	SG47	7073	Add		XX4 No Exchange / No Return Pallet (GS1 Code)			implemented
05-000029-125	NECORE	PRICAT	PAC	SG47	7233	Add		X01 Composite Component A (GS1 Code)			implemented
05-000029-126	NECORE	PRICAT	PAC	SG47	7233	Add		X02 Composite Component B (GS1 Code)			implemented
05-000029-127	NECORE	PRICAT	PAC	SG47	7233	Add		X03 Composite Component C (GS1 Code)			implemented
05-000029-128	NECORE	PRICAT	PAC	SG47	7233	Add		X04 RSS 14 (GS1 Code)			implemented
05-000029-129	NECORE	PRICAT	PAC	SG47	7233	Add		X05 RSS 14 Staked (GS1 Code)			implemented
05-000029-130	NECORE	PRICAT	PAC	SG47	7233	Add		X06 RSS 14 Staked omnidirectional (GS1 Code)			implemented
05-000029-131	NECORE	PRICAT	PAC	SG47	7233	Add		X07 RSS 14 truncated (GS1 Code)			implemented
05-000029-132	NECORE	PRICAT	PAC	SG47	7233	Add		X08 RSS expanded (GS1 Code)			implemented
05-000029-133	NECORE	PRICAT	PAC	SG47	7233	Add		X09 RSS expanded truncated (GS1 Code)			implemented
05-000029-134	NECORE	PRICAT	PAC	SG47	7233	Add		X10 RSS limited (GS1 Code)			implemented
05-000029-135	NECORE	PRICAT	PAC	SG47	7233	Add		X11 UPC A symbol (GS1 Code)			implemented
05-000029-136	NECORE	PRICAT	PAC	SG47	7233	Add		X12 UPC E Symbol (GS1 Code)			implemented
05-000029-137	NECORE	PRICAT	PAC	SG47	7233	Add		X13 EANUCC 14 Symbol (GS1 Code)			implemented
05-000029-138	NECORE	PRICAT	PAC	SG47	7233	Add		X14 Package not marked returnable (GS1 Code)	Trade item has no returnable packaging.		implemented
05-000029-139	SECHRE	PRICAT	PAT	SG48	4276	Change			Change status from "N" to "O"		implemented
05-000029-140	SECHRE	PRICAT	PAT	SG48	C110	Change			Change status from "N" to "O"		implemented
05-000029-141	SECHRE	PRICAT	PAT	SG48	4277	Change			Change status from "N" to "R"	DE 4277 has Status M if C110 is used!	questions
05-000029-142	NECORE	PRICAT	PAT	SG48	2475	Add		X10 Receipt of goods (GS1 Code)			implemented
05-000029-143	NECORE	PRICAT	DTM	SG48	2379	Add		110 DD	Day's number within is a specific month.		implemented
05-000029-144	NECORE	PRICAT	PAT	SG48	4279	Add		X10 Discount after deducting freight (GS1 Code)			implemented
05-000029-145	NECORE	PRICAT	PAT	SG48	4279	Add		X11 Valuta (GS1 Code)			implemented
05-000029-146	NECORE	PRICAT	NAD	SG52	3035	Add		BOW Brand Owner (GS1 Code)	Brand Owner of the product.		implemented
05-000029-147	NECORE	PRICAT	PIA	SG56	7143	Add		X10 Lottery game number (GS1 Code)			implemented
05-000029-148	NECORE	PRICAT	PIA	SG56	7143	Add		X11 Lottery pack book number (GS1 Code)			implemented
05-000029-149	NECORE	PRICAT	PIA	SG56	7143	Add		X12 NABCA product code (GS1 Code)			implemented
05-000031	MSCHRE	ORDRSP				Add		MEA	Add seq MEA under PAC		implemented
05-000032	NECORE	PRICAT	TAX		5153	Add		OIL	Oil tax	A tax that is levied specifically on products containing Oil.	implemented
05-000092	NECORE	ORDERS	DTM		2005	Add		235	Collection date/time, latest	In relation with the arrangements agreed between buyer and seller or between sender and main transport it may be necessary to specify the latest collection date/time.	implemented
05-000093	NECORE	ORDERS	CTA		3139	Add		WL	After Business Hours Contact	Contact person or organisation that can be contacted after the normal working hours. This will allow the after business hours contact telephone number to be distinguished from a default/normal hours telephone number. Clearly defined communication information will make communication process effective/efficient for all users. The change will allow the contact number to be distinguished so when communication is required to be made, the appropriate contact number provided is used correctly.	implemented
05-000094	NECORE	ORDRSP	DTM	3	2005	Add		234	Collection date/time, earliest	The transport order may be issued before the goods are ready for picking up. This date/time indicates from when on the carrier can have access to the consignment.	implemented
05-000095	NECORE	DESADV	GIN		7405	Add		AW	Serial shipping container code	A single unique serial number which identifies shipping containers or shipping packages.	implemented
05-000095	NECORE	DESADV	GIN		7405	Del		BJ	Serial shipping container code	Mark for deletion	implemented
05-000114	NECORE	DESADV	CPS		7075	Add		4	No packaging hierarchy	There is no specifiable level of packaging: packaging is inner and outer level as well.	implemented
05-000115	NECORE	ORDERS	DTM	53	2005	Add		15	Promotion start date/time	Date/time when promotion activities begin.	implemented
05-000116	MSCHRE	PRICAT	DOC			Add			Add DOC under LIN as in PRICAT D.01B		withdrawn
05-000117	NECORE	PRICAT	DTM		2005	Add		X19	Material Safety Data Sheet issue date (GS1 Code)	A date when a Material Safety Data Sheet has been or will be issued. The Australian Automotive Aftermarket Industry requires users to specify the issue date of a Material Safety Data Sheet (MSDS) for items. This will allow the MSDS issue date to be transferred electronically via the PRICAT and to be part of product master data of a LINE item and also satisfy Australian Automotive Aftermarket requirements.	withdrawn

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000124	MSCHRE	PRICAT				Add			Add a new LOC seg in SG41	Add SG 49 or SG 50???	<b>not implementable</b>
05-000125a	NECORE	DESADV	LOC		3227	Add	40E	Packing Plant	Place where goods are packaged. In the meat sector, some additional information is required for traceability purposes: cutting party, slaughterhouse, ... On retailer in Spain is requiring an additional attribute with commitment to implement: Packing Plant Packing Plant: Place where food is packaged. Send additional traceability information within the Supply Chain specially when the Cutting Party is not the Packing Party.		implemented
05-000125b	NECORE	DESADV	RFF		1153	add	YC6	Packing Plant Approval Number	Approval Number of the Place where goods are packaged. In the meat sector, some additional information is required for traceability purposes: cutting party, slaughterhouse, ... On retailer in Spain is requiring an additional attribute with commitment to implement: Packing Plant Packing Plant: Place where food is packaged. Send additional traceability information within the Supply Chain specially when the Cutting Party is not the Packing Party.		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	1	Added	Comments added		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	2	Deleted	Comments added		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	3	Changed	Comments added		implemented
05-000144	NECORE	PROINQ	LIN		1229	Allow use	4	No action	Comments added		implemented
05-000145	NECORE	PROINQ	BGM		1001	Add	76C	Standing inquiry on complete product information (GS1 code)	A product inquiry which stands until it is cancelled. It requests not only the updates since last time, but always the complete product information of a data supplier. This means that within the standing request every time a complete download of the respective data is automatically sent to the data inquirer.		implemented
05-000146	NECORE	PROINQ	DTM		2379	Add	811	Half month	To indicate a quantity of half months.		implemented
05-000147	NECORE	PROINQ	DTM		2379	Add	130	MMWW-MMWW (GS1 code)	Week's number within a specified month or range of months. In order to request master data stored in the pool, PROINQ messages are to be used, in which the type of selection request, some execution parameters, and the selection criteria are to be specified. For permanent or standing selections (subscriptions of mater data) of the execution frequency (-interval) monthly or yearly (annually) the number of the week in which the selection shall be executed at the pool is to be indicated. Related to SG 3, DTM DE 2379 there is an EDIFACT code value 108 = WW that allows to indicate the week's number within a specific year. But a code value is missing that allows to indicate the week's number within a month.		implemented
05-000148	NECORE	PRICAT	RFF		1153	Add	CH	Customer catalogue number	Number identifying a catalogue for customer's usage.		withdrawn
05-000149	NECORE	PRICAT	DTM		2005	Add	541	First published date	Date when material was first published.		implemented
05-000150	NECORE	PRICAT	HAN	SG 36	4079	Add	MF	Multiple facings (GS1 code)	The item has multiple facings (views) for presentation in the shelf.		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NES	Nestable (GS1 Code)	???		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSH	Nesting height (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the height of the item's facing (main view).		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSW	Nesting width (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the width of the item's facing (main view).		implemented
05-000151	NECORE	PRICAT	HAN	SG 36	4079	Add	NSD	Nesting depth (GS1 Code)	The item can be stacked into into each other (e.g. plates, bowls or buckets). The nesting refers to the depth of the item's facing (main view).		implemented
05-000152	NECORE	PRICAT	IMD	SG 36	7009	Add	NCU	Not a consumer unit (GS1 Code)	The current base item or packaging item is not a consumer unit, i.e. is not a pre-packaging that is intended and labelled or marked for consumers according to legal requirements.		implemented
05-000153	NECORE	PRICAT	IMD	SG 36	7009	Add	NDU	Not a despatch unit (GS1 Code)	The current base item or packaging item is not a regular logistical despatch unit, i.e. it is as a rule only delivered as many within a further repackaging, and not as an individual logistics item.		implemented
05-000154	NECORE	PRICAT			7009	Add	NIN	Not an invoicing unit (GS1 Code)	The current base item or packaging item is not an invoicing unit of the data supplier, i.e. cannot be invoiced individually but only as one of many in a repackaging or transport packaging item.		implemented
05-000155	NECORE	PRICAT			7009	Add	RE	Retail product (GS1 Code)	The current item is meant for retail sale only, and not for sale to hotels, restaurants and catering.		implemented
05-000155	NECORE	PRICAT			7009	Add	NRE	Not a retail product (GS1 Code)	The current item is not meant for retail sale, but only for sale to hotels, restaurants and catering.		implemented
05-000156	NECORE	PRICAT	IMD		7009	Add	NOS	Yes, NOS item (GS1 Code)	The current item is an NOS (Never out of stock) article, that is continuously reordered and replenished.		implemented
05-000156	NECORE	PRICAT	IMD		7009	Add	NOT	Not, not an NOS item (GS1 Code)	The current item is not an NOS (Never out of stock) article, therefore is not continuously reordered and replenished.		implemented
05-000157	NECORE	PRICAT	IMD		7009	Add	NVQ	Not a variable quantity product (GS1 Code)	The current item is a variable weight trade item, for which the weight and the quantity is determined only by the buyer.		implemented
05-000158	NECORE				7233	Add	NAB	Not labeled acc. to EAN.UCC (GS1 Code)	Specifications for clothes and fashion accessoires		implemented
05-000159-1	NECORE				7233	Add	RL1	Peg hole round 1 (GS1 code)	The item's packaging has a round peg hole. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented
05-000159-2	NECORE				7233	Add	SL1	Peg hole slot hole 1 (GS1 code)	The item's packaging has a slot peg hole of type 1. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented
05-000159-3	NECORE				7233	Add	SL3	Peg hole slot hole 3 (GS1 code)	The item's packaging has a slot peg hole of type 3. (European norm DIN EN 13010:2003 (substitute for DIN 55512-1:1984-12))		implemented
05-000160	SECHRE	PRICAT	MOA	SG38		Add			Enable DE 6345 and DE 6343 for the currency in the MOA of SG 38		implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000161	NECORE	DESADV	CPS	SG10	7075	Add	5	Shipment Level	Open the use of an existing code Code Description: The packaging level described is the shipment level.		implemented
05-000163	NECORE	ORDCHG	BGM		4343	Add	AB	Message acknowledgement	Indicates that an acknowledgement relating to receipt of message is required.		implemented
05-000170	NECORE	DESADV	PCI		4233	Add	41G	Marked with GS1 Global Returnable Asset Identifier (GS1 Code)	Indication that the GS1 Global Returnable Asset Identifier has been marked on the package.		implemented
05-000170-2	NECORE	DESADV	GIN		7405	Add	RAG	GS1 Global Returnable Asset Identifier (GS1 Code)	A unique number, consisting of a fixed 13-digits part and an optional Serial Number of up to 16 digits. The fixed part allows for the unique identification of a particular kind of Returnable Asset, the optional part is assigned to distinguish individual assets within a given Returnable Asset type.		implemented
05-000171	SECHRE	ORDERS	BGM		1060				Change status from NOT USED to OPTIONAL		implemented
05-000172	SECHRE	ORDRSP	RFF		1060				Change status from NOT USED to OPTIONAL		implemented
05-000177					3055	Change	9	GS1	GS1 (formerly EAN International), an organisation of GS1 Member Organisations, which manages the GS1 System.		implemented
05-000178					3055	Change	65	GS1 France	Organisation responsible for GS1 System in France.		implemented
05-000179					3055	Change	68	GS1 Italy	Organisation responsible for GS1 System in Italy.		implemented
05-000180					3055	Change	113	GS1 US	Organisation responsible for GS1 System in the USA.		implemented
05-000181					3055	Change	136	GS1 UK	Organisation responsible for GS1 System in the UK.		implemented
05-000182					3055	Change	200	GS1 Netherlands	Organisation responsible for GS1 System in the Netherlands.		implemented
05-000183					3055	Change	245	GS1 Denmark	Organisation responsible for GS1 System in Denmark.		implemented
05-000184					3055	Change	246	GS1 Germany	Organisation responsible for GS1 System in Germany.		implemented
05-000185					3055	Change	281	GS1 Belgium & Luxembourg	Organisation responsible for GS1 System in Belgium & Luxembourg.		implemented
05-000186					3055	Change	294	GS1 Austria	Organisation responsible for GS1 System in Austria.		implemented
05-000186	NECORE	All			3055	Add	294	GS1 Austria	Organisation responsible for the GS1 System in Austria.		implemented
05-000187					3055	add	298	GS1 Spain	Organisation responsible for GS1 System in Spain.		implemented
05-000187	NECORE	All			3055	Add	298	GS1 Spain	Organisation responsible for the GS1 System in Spain.		implemented
05-000188					3055	Add	311	GS1 Finland	Organisation responsible for GS1 system in Finland		not implemented
05-000188	NECORE	All			3055	Add	316	GS1 Finland	Organisation responsible for the GS1 system in Finland.		implemented
05-000193					0007	Change	14	GS1	Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.		implemented
05-000194					0513	Change	2	GS1	GS1, an international organization of GS1 Member Organizations that manages the GS1 System.		implemented
05-000196					3055	add	312	GS1 Brazil	Organisation responsible for GS1 system in Brazil		not implemented
05-000196	NECORE	All			3055	Add	317	GS1 Brazil	Organisation responsible for the GS1 system in Brazil.		implemented
05-000203	NECORE	DESADV	MOA	6	5025	Add	369	Goods and services tax	Amount charged as tax on goods and services.		implemented
05-000220	NECORE	DESADV	PCI	SG13	4233	Add	42G	Marked GS1 Global Individual Asset Identifier (GS1 Code)	Indication that the GS1 Global Individual Asset Identifier has been marked on the package.		implemented
05-000220	NECORE	DESADV	GIN	SG15	7405	Add	IAG	GS1 Global Individual Asset Identifier (GS1 Code)	Unique number, consisting of the GS1 Company Prefix and an Individual Asset Reference		implemented
05-000290	NECORE	DELFOR	NAD	SG7	3035	Add	BY	Buyer	Add the code BY to the restricted Code list		implemented
05-000291	NECORE	DELFOR	SCC	SG17	4017	Add	XX1	Promotion (GS1 Code)	All related schedule information refer to a promotion.		implemented
05-000291	NECORE	DELFOR	SCC	SG17	4017	Add	XX2	Special demand (GS1 Code)	All related schedule information refer to a special demand.		implemented
05-000292	NECORE	DELFOR	QTY	SG18	6063	Add	66	Committed quantity	Add the code value 66 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	157	Validity start date	Add code 157 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	194	Start date/time	Add code 194 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	206	End date/time	Add code 206 to the restricted code list		implemented
05-000293	NECORE	DELFOR	DTM	SG18	2005	Add	362	End availability date	Add code 362 to the restricted code list		implemented
05-000311	NECORE	ORDERS	DTM		2005	Add	76	Delivery date/time, scheduled for	the date/time for which delivery is scheduled. Add code value 76 to the restricted codes list		implemented
05-000314	NECORE	IFCSUM	BGM		1001	Add	770	Booking Confirmation	Document/message issued by a carrier to confirm that space has been reserved for a consignment in means of transport. Add comment Note at message level that this is used for multi-consignment shipment		implemented
05-000315-01	NECORE	DESADV	DTM	45	2005	Add	X19	Animal Birth date/time (GS1 Code)	Date/time when an animal was born. For traceability purposes.		implemented
05-000315-01	NECORE	DESADV	DTM	45	2005	Add	X21	Animal Birth date/time (GS1 Code)	Date/time when an animal was born. For traceability purposes.		implemented
05-000315-02	NECORE	DESADV	DTM	45	2005	Add	X20	Slaughter date/time (GS1 Code)	Date/time of slaughtering of an animal.		implemented
05-000315-03	NECORE	DESADV	MEA		6313	Add	AAK	Fat Content	An indication of fat content of a product.		implemented
05-000315-04	NECORE	DESADV	DTM	45	2005	Add	54E	Stuffing Date/time (GS1 code)	The Date/time on which the stuffing of a container is to take place, or has taken place.		implemented
05-000315-05	NECORE	DESADV	LOC		3227	Add	41E	Mincing plant (GS1 Code)	A place where the meat of animals is cut into very small pieces using a meat grinder.		implemented
05-000315-05	CodeChange	DESADV	LOC		3227	change	30E	Cutting plant (GS1 Code)	A place where the meat of animals is cut into smaller pieces.		implemented
05-000315-06	NECORE	DESADV	PCI		4233	Add	41E	Marked with packaging date (GS1 Code)	Indication that the packaging date has been marked on a package.		implemented
05-000315-07	SECHRE	DESADV	LOC		3055	Del			Delete comment "DE 3055 must not be used if DE 3225 is used for traceability information"		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X15	Acidity of meat ( hh hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured hh hours after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx12				implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx24				implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx36				implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	xx48				implemented

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
05-000315-08	NECORE	DESADV	MEA		6313	Change Implementa- tion	X01	Acidity of meat (1 hour after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 1 hour after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X02	Acidity of meat ( 12 hours after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 12 hours after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X03	Acidity of meat (24 hours after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 24 hours after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X04	Acidity of meat (36 hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 36 hours after slaughtering.		implemented
05-000315-08	NECORE	DESADV	MEA		6313	Add	X05	Acidity of meat ( 48 hour(s) after slaughtering)	The meat's acid quality or condition expressed as a pH value measured 48 hours after slaughtering.		implemented
05-000315-09	NECORE	PRICAT	RFF		1153	Add	xx	Farm approval number (GS1 Code)	Veterinary licence number allocated by a national authority to an animal farm.		implemented
05-000315-09	NECORE	PRICAT	RFF		1154	Add	XC4	Cutting Plant Approval number			implemented
05-000315-09	NECORE	PRICAT	RFF		1155	Add	XC5	Slaughterhouse Approval number			implemented
05-000315-09	NECORE	PRICAT	RFF		1153	Add	XC6	Packing Plant Approval number			implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC3	Farm approval number (GS1 Code)	Veterinary licence number allocated by a national authority to an animal farm.		implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC4	Cutting Plant Approval number	Add the existing code to the restricted codelist		implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC5	Slaughterhouse Approval number	Add the existing code to the restricted codelist		implemented
05-000315-09	NECORE	PRICAT	RFF	62	1153	Add	YC6	Packing Plant Approval number	Add the existing code to the restricted codelist		implemented
05-000315-10	NECORE	PRICAT	NAD		3035	Add	X50	Mincing plant (GS1 Code)	A place where the meat of animals is cut into very small pieces using a meat grinder.		implemented
05-000315-11	NECORE	PRICAT	NAD		3035	Add	X51	Fattener (GS1 Code)	Party which fattens the animal.		implemented
05-000315-12	NECORE	PRICAT	LOC		3227	Add	42E	Place of fattening (GS1 Code)	Place where the animal has been fattened before killing for food.		implemented
05-000315-13	NECORE	DESADV	MEA		6313	Add	X16	Slaughtering weight (GS1 Code)	Warm weight after slaughter		implemented
05-000315-14	NECORE	PRICAT	NAD		3035	Add	GD	Breeder (GS1 Code)	Party which breeds the animal.		implemented
05-000315-14	NECORE	PRICAT	NAD	60	3035	Add	X52	Breeder (GS1 Code)	Party which breeds the animal.		implemented
05-000315-15	NECORE	DESADV	LOC		3227	Add	xxx	Animal's Birth Place (GS1 Code)	Place/Location where an animal was born (GLN or Veterinary licence number)		implemented
05-000316	NECORE	REMAADV	AJT		4465	Add	40	Deducted freight costs	Buyer has/will deduct freight costs from the payment		implemented
05-000402-1	NECORE	DESADV	MEA		6313	Add	X17	Stacking factor including bottom item (GS1 Code)	Maximum number of items stackable upon each other, including the bottom item.		implemented
05-000402-2	Code Chang	DESADV	MEA		6313	Change	SF	Stacking factor excluding bottom item (GS1 Code)	Maximum number of items stackable upon each other, excluding the bottom item.		implemented
05-000403	SECHRE	RECADV	FTX			Add			Open the use of FTX segment in header of RECADV message (existing in EDIFACT D.01B)		implemented
06-000000	MSCHRE	SLSRPT	UNS						Add UNS seg before UNT. UNS is mandatory in UN/EDIFACT.		implemented
06-000004	NECORE	REMAADV	AJT		4465	Add	42E	Treasury management service charge (GS1 Code)	This code is used if service provider responsible for treasury management is deducting the invoice by own service charge.		implemented
06-000006	NECORE	REMAADV	BGM		1225	Add	31	Copy	Indicates that the message is a copy of an original message that has been sent, e.g. for action or information.		implemented
06-000007	NECORE	IFTMIN	TDT		8179	Add	X15	Armoured Car (GS1 Code)	A special means of transport for high value goods.		implemented
06-000024	SECHRE	INVOIC	BGM		1060				Allow the use of Data Element 1060 as Optional, currently marked as NOT USED.		implemented
06-000058		ORDRSP							Change message definition to: "A message responding to a Purchase Order message or a PurchaseOrder Change Request message under conditions agreed between the supplier and the buyer."(according to the wording in ORDERS).		implemented
06-000058		ORDRSP							Change message definition to: "A message responding to a Purchase Order message or a PurchaseOrder Change Request message under conditions agreed between the supplier and the buyer."(according to the wording in ORDERS).		implemented
06-000059	NECORE	RECADV	BGM		1225	Add	34	Accepted with amendment	The referenced message is accepted but amended.		implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X50	Store can not order	Store is not allowed to order		implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X51	DC can not order	Distribution Centre is not allowed to order		implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X53	Store can not order	Store is not allowed to order		implemented
06-000069	NECORE	PRICAT	ALI		4183	Add	X54	DC can not order	Distribution Centre is not allowed to order		implemented
06-000085	MSCHRE	IFCSUM	NAD						Add the "NAD" segment (segment group 4) of the IFCSUM message in the next version of EANCOM. (Note: the "NAD" segment (segment group 4) is available in EDIFACT D01B.)Include the following qualifiers (available in EANCOM2002) in the DE3035 list :BY = Buyer CA = Carrier DP = Delivery party LSP = Logistic Service Provider (EAN Code) OB = Ordered by SU = Supplier WH = Warehouse keeper	SG4: Status of data elements and component data elements, segment description, and codes for other data elements are missing.	questions

CR-No	CR Type	Message	SE	No	DE	Action	Code tag	Code name	Code definition or other Change details	Questions	Status
06-000086	MSCHRE	OSTRPT	LOC						Add the "LOC" segment under the "NAD" segment in the segment group 1 of the OSTRPT message in the next version of EANCOM. (Note: the "LOC" segment is available in EDIFACT D01B.) Include the following qualifiers (available in EANCOM2002) in the DE3227 list : 14 = Location of goods (Place where goods are located and where they are available for examination) 22E = Movement to location (Identification of the location to where goods are to be moved)	Status of data elements and component data elements, segment description, and codes for other data elements is missing.	questions
06-000087	NECORE	HANMOV	HAN		4079	Add	RES	Reserve (GS1 Code)	Reserve identified goods according to specified instructions.		implemented
06-000096	NECORE	ORDRSP	DTM		2005	Add	15	Promotion start date/time	Date/Time when promotion activities begin.		implemented
06-000111	NECORE	PRICAT	DTM		2005	Add	356	Sales date, and or time, and or period	The date, and or time, and or period on which a sale took place, or can take place		implemented
06-000112	NECORE	PRICAT	DTM		2379	Add	715	YYWW-YYWW	Format for a period of calendar weeks to be given in actual message without hyphen		implemented
06-000118	NECORE	PRICAT	DTM		2005	Add	73	Guarantee period	The period for which the guarantee is or will be granted.		implemented
06-000136	NECORE	SLSRPT	QTY		6063	Add	145	Actual Stock	The stock on hand, undamaged, and available for despatch, sale or use.		implemented
06-000148	NECORE	ORDERS INVOIC	PIA		7143	Add	EWC	European Waste Catal	Waste type number according to the European Waste Catalogue (EWC).		implemented
06-000149	NECORE	ORDERS	PCI		7065	Add	SEC	Article Surveillance	Equipped with article surveillance.	DE 7065 is not existing in PCI segment	open in Guide implemented in code list